

Application No.: 10/510083
Docket No.: BA9302USPCT

Page 2


RECEIVED
CENTRAL FAX CENTER

AUG 13 2007

Amendments to Claims

Claims 1 through 10 (canceled)

11. (currently amended) A compound of Formula I and or an agriculturally suitable salt thereof,



wherein:

R¹ is H, SH, methyl or C₂-C₅ alkoxy carbonyl;

R² is H; C₁-C₁₀ alkyl, C₂-C₁₀ alkenyl, C₂-C₁₀ alkynyl or cyclopropyl;

R³ is H; C₁-C₁₀ alkyl, C₂-C₁₀ alkenyl, C₂-C₁₀ alkynyl or cyclopropyl; or

R² and R³ are taken together with their interconnecting nitrogen to form a saturated heterocyclic ring containing 3 to 7 atoms, said ring consisting of said interconnecting nitrogen atom and carbon atoms, and said ring being optionally substituted with one or more R⁹;

R⁴ and each R⁵ are each independently C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl, C₁-C₆ haloalkyl, C₂-C₆ haloalkenyl, C₂-C₆ haloalkynyl, C₃-C₆ halocycloalkyl, halogen, CN, CHO, CO₂H, CONH₂, SF₅, C₁-C₄ alkoxy, C₁-C₄ haloalkoxy, C₁-C₄ alkylthio, C₁-C₄ alkylsulfinyl, C₁-C₄ alkylsulfonyl, C₁-C₄ haloalkylthio, C₁-C₄ haloalkylsulfinyl, C₁-C₄ haloalkylsulfonyl, C₁-C₄ alkylamino, C₂-C₈ dialkylamino, C₃-C₆ cycloalkylamino, C₂-C₆ alkyl carbonyl, C₂-C₆ alkoxy carbonyl, C₂-C₆ alkylaminocarbonyl, C₃-C₈ dialkylaminocarbonyl or C₃-C₆ trialkylsilyl;

R⁶ is C₅-C₂₁ alkyl, C₅-C₂₁ alkenyl, C₅-C₂₁ alkynyl, C₄-C₉ alkoxy carbonyl, C₄-C₆ alkylaminocarbonyl, C₃-C₁₀ dialkylaminocarbonyl or C₃-C₁₂ trialkylsilyl, each optionally substituted with one or more R¹¹; or R⁶ is C₁-C₄ alkyl or C₂-C₉ alkyl carbonyl, each substituted with one or more R¹²;

A is a direct bond, O, S(O)_n or NR¹⁰;

each R⁹ is independently halogen, CN, NO₂, C₁-C₄ alkoxy, C₁-C₄ alkyl, C₁-C₄ haloalkoxy or C₁-C₄ alkylthio;

R¹⁰ is H, C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₁-C₄ alkylsulfonyl, C₁-C₄ haloalkylsulfonyl, C₂-C₆ alkyl carbonyl, C₂-C₆ alkoxy carbonyl, C₂-C₆ alkylaminocarbonyl, C₃-C₈ dialkylaminocarbonyl or C₃-C₆ trialkylsilyl;

Application No.: 10/510083
Docket No.: BA9302USPCT

Page 3

each R^{11} is independently halogen, CO_2H , CONH_2 , NO_2 , hydroxy, $\text{C}_1\text{-C}_6$ alkoxy, $\text{C}_1\text{-C}_6$ haloalkoxy, $\text{C}_2\text{-C}_6$ alkylthio, $\text{C}_1\text{-C}_6$ alkylsulfinyl, $\text{C}_1\text{-C}_6$ alkylsulfonyl, $\text{C}_1\text{-C}_6$ haloalkylthio, $\text{C}_1\text{-C}_6$ haloalkylsulfinyl, $\text{C}_1\text{-C}_6$ haloalkylsulfonyl, $\text{C}_1\text{-C}_6$ alkylamino, $\text{C}_2\text{-C}_8$ dialkylamino, $\text{C}_2\text{-C}_6$ alkylcarbonyl, $\text{C}_2\text{-C}_6$ alkoxycarbonyl, $\text{C}_3\text{-C}_9$ alkoxyalkylcarbonyl, $\text{C}_2\text{-C}_6$ alkylaminocarbonyl, $\text{C}_4\text{-C}_{10}$ alkylaminoalkylcarbonyl, $\text{C}_3\text{-C}_8$ dialkylaminocarbonyl, $\text{C}_4\text{-C}_8$ dialkylaminoalkylcarbonyl, $\text{C}_3\text{-C}_9$ alkylthioalkylcarbonyl, $\text{C}_2\text{-C}_8$ dialkylphosphoryl, $\text{C}_2\text{-C}_8$ dialkylphosphinyl, $\text{C}_3\text{-C}_9$ trialkylsilyl or $\text{C}_3\text{-C}_9$ trialkylsilyloxy;

each R^{12} is independently CO_2H , CONH_2 , NO_2 , $\text{C}_1\text{-C}_6$ haloalkoxy, $\text{C}_2\text{-C}_6$ alkylthio, $\text{C}_1\text{-C}_6$ alkylsulfinyl, $\text{C}_1\text{-C}_6$ alkylsulfonyl, $\text{C}_1\text{-C}_6$ haloalkylthio, $\text{C}_1\text{-C}_6$ haloalkylsulfinyl, $\text{C}_1\text{-C}_6$ haloalkylsulfonyl, $\text{C}_1\text{-C}_6$ alkylamino, $\text{C}_2\text{-C}_8$ dialkylamino, $\text{C}_2\text{-C}_6$ alkylcarbonyl, $\text{C}_2\text{-C}_6$ alkoxycarbonyl, $\text{C}_3\text{-C}_9$ alkoxyalkylcarbonyl, $\text{C}_2\text{-C}_6$ alkylaminocarbonyl, $\text{C}_3\text{-C}_{10}$ alkylaminoalkylcarbonyl, $\text{C}_3\text{-C}_8$ dialkylaminocarbonyl, $\text{C}_4\text{-C}_8$ dialkylaminoalkylcarbonyl, $\text{C}_3\text{-C}_9$ alkylthioalkylcarbonyl, $\text{C}_3\text{-C}_9$ halotrialkylsilyl, $\text{C}_4\text{-C}_9$ alkoxytrialkylsilyl, $\text{C}_3\text{-C}_9$ trialkylsilyl or $\text{C}_3\text{-C}_9$ trialkylsilyloxy;

n is 0, 1 or 2; and

m is 0, 1, 2 or 3;

with the proviso that when A denotes NR^{10} , m denotes 0, R^1 denotes H, R^2 and R^3 both denote CH_3 , R^{10} denotes H, R^6 denotes C_3 alkylcarbonyl substituted by R^{12} , then R^{12} does not denote C_1 alkylsulfonyl; and

with the proviso that when R^4 is iodo, the phenyl ring to which it is attached is not also substituted with iodo substituents at both the 4-position and the 6-position.

12.(previously presented) A compound of Claim 11 wherein: R^1 is H, SH or methyl.

13.(currently amended) A compound of Claim 12 wherein

R^2 is H; $\text{C}_1\text{-C}_{10}$ alkyl, $\text{C}_2\text{-C}_{10}$ alkenyl or $\text{C}_2\text{-C}_{10}$ alkynyl;

R^3 is H; $\text{C}_1\text{-C}_{10}$ alkyl, $\text{C}_2\text{-C}_{10}$ alkenyl, or $\text{C}_2\text{-C}_{10}$ alkynyl; or

R^2 and R^3 are taken together with their interconnecting nitrogen to form a saturated heterocyclic ring containing 3 to 7 atoms, said ring consisting of said interconnecting nitrogen atom and carbon atoms, and said ring being optionally substituted with one or more R^9 ;

R^4 and R^5 are each independently $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_2\text{-C}_6$ alkenyl, $\text{C}_2\text{-C}_6$ alkynyl, $\text{C}_1\text{-C}_6$ haloalkyl, halogen, CO_2H , CONH_2 , $\text{C}_1\text{-C}_4$ alkoxy, $\text{C}_1\text{-C}_4$ haloalkoxy, $\text{C}_1\text{-C}_4$ alkylthio, $\text{C}_1\text{-C}_4$ alkylsulfinyl, $\text{C}_1\text{-C}_4$ alkylsulfonyl, $\text{C}_1\text{-C}_4$ haloalkylthio, $\text{C}_1\text{-C}_4$ haloalkylsulfinyl, $\text{C}_1\text{-C}_4$ haloalkylsulfonyl, $\text{C}_2\text{-C}_6$ alkylcarbonyl, $\text{C}_2\text{-C}_6$ alkoxycarbonyl, $\text{C}_1\text{-C}_6$ alkylaminocarbonyl, CN, CHO or $\text{C}_3\text{-C}_8$ dialkylaminocarbonyl;

Application No.: 10/510083
Docket No.: BA9302USPCT

Page 4

R⁶ is C₅-C₁₅ alkyl, C₅-C₁₅ alkenyl or C₅-C₁₅ alkynyl, each optionally substituted with one or more R¹¹; or R⁶ is C₁-C₄ alkyl substituted with one or more R¹²;

A is a ~~direct bond~~, O or S(O)_n; and

m is 0, 1 or 2.

14.(previously presented) A compound of Claim 13 wherein

A is attached to the remainder of Formula I at the 4 position of the benzene ring.

15(previously presented) A compound of Claim 14 wherein

R² and R³ are each independently H or C₁-C₁₀ alkyl; or

R² and R³ are taken together with their interconnecting nitrogen to form a saturated, heterocyclic ring containing 3 to 7 atoms, said ring consisting of said interconnecting nitrogen atom and carbon atoms, and said ring being optionally substituted with one or more R⁹;

R⁴ and R⁵ are each independently halogen, CN, CHO, C₁-C₆ alkyl, C₁-C₄ alkoxy, C₁-C₄ haloalkoxy, C₁-C₄ alkylthio, C₁-C₄ alkylsulfinyl, C₁-C₄ haloalkylthio, C₁-C₄ haloalkylsulfinyl or C₁-C₆ haloalkyl;

one R⁵ is attached to the remainder of Formula I at the 5 position of the benzene ring and an optional second R⁵ is attached at the 6 position of the benzene ring; and

m is 1 or 2.

16.(previously presented) A compound of Claim 15 wherein

R¹ is H; and

R⁶ is C₆-C₁₅ alkyl wherein at least one of the fourth and fifth carbon from A has one or no hydrogen attached or C₅-C₁₅ 2-alkenyl wherein the fourth or fifth carbon from A has one or no hydrogen attached.

17.(previously presented) A compound of Claim 16 wherein R⁶ is (CH₂)₃C(CH₃)₃ or CH(CH₃)CH₂CH₂C(CH₃)₃.

18.(previously presented) A compound of Claim 15 wherein

R¹ is H; and

R⁶ is C₁-C₄ alkyl substituted with one or more substituents selected from the group consisting of C₂-C₆ alkylthio, C₁-C₆ alkylsulfinyl, C₂-C₆ alkoxycarbonyl, C₂-C₈ dialkylamino, C₂-C₆ alkylcarbonyl, C₃-C₉ alkoxyalkylcarbonyl, C₂-C₆ alkylaminocarbonyl, C₃-C₈ dialkylaminocarbonyl, C₃-C₉ trialkylsilyl, C₃-C₉ halotrialkylsilyl, C₄-C₉ alkoxytrialkylsilyl or C₃-C₉ trialkylsilyloxy.


19.(previously presented) A compound of Claim 18 wherein R⁶ is alkyltrialkylsilyl.

20.(previously presented) A compound of Claim 16 wherein R² and R³ are each independently methyl or ethyl.

21.(previously presented) A compound of Claim 11 having the formula

Application No.: 10/510083
Docket No.: BA9302USPCT

Page 5



wherein (1) R^6 is $\text{CH}_2\text{CH}_2\text{CH}_2\text{Si}(\text{CH}_3)_3$, $\text{CH}_2\text{CH}_2\text{CH}_2\text{C}(\text{CH}_3)_3$, $\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$ or $\text{CH}_2\text{CH}_2\text{CH}_2\text{Si}(\text{CH}_3)_2(\text{C}_2\text{H}_5)$; and R^2 is CH_3 ; R^3 is CH_3 , C_2H_5 , $\text{CH}(\text{CH}_3)_2$, cyclopropyl, $\text{CH}_2\text{CH}=\text{CH}_2$ or $\text{CH}_2\text{C}\equiv\text{CH}$; R^4 is CH_3 ; and R^5 is C_2H_5 , Br, CH_2F , CHF_2 , CF_3 , CH_2Cl , CH_2Br , CN or CHO; or R^2 is CH_3 ; R^3 is CH_3 , C_2H_5 , $\text{CH}(\text{CH}_3)_2$, cyclopropyl, $\text{CH}_2\text{CH}=\text{CH}_2$ or $\text{CH}_2\text{C}\equiv\text{CH}$; R^4 is C_2H_5 ; and R^5 is Cl or F; or R^2 is CH_3 ; R^3 is CH_3 , C_2H_5 , $\text{CH}(\text{CH}_3)_2$, cyclopropyl, $\text{CH}_2\text{CH}=\text{CH}_2$ or $\text{CH}_2\text{C}\equiv\text{CH}$; R^4 is CH_2Br ; and R^5 is Cl or F; or R^2 is CH_3 ; R^3 is CH_3 , C_2H_5 , $\text{CH}(\text{CH}_3)_2$, cyclopropyl, $\text{CH}_2\text{CH}=\text{CH}_2$ or $\text{CH}_2\text{C}\equiv\text{CH}$; R^4 is CH_2SCH_3 or CH_2OCH_3 ; and R^5 is Cl; or R^2 is C_2H_5 ; R^3 is C_2H_5 ; R^4 is C_2H_5 or CH_2Br ; and R^5 is Cl or F; or R^2 is CH_3 ; R^3 is CH_3 , C_2H_5 , $\text{CH}(\text{CH}_3)_2$, cyclopropyl, $\text{CH}_2\text{CH}=\text{CH}_2$ or $\text{CH}_2\text{C}\equiv\text{CH}$; R^4 is CH_2Br ; and R^5 is CN; or R^2 is C_2H_5 ; R^3 is C_2H_5 ; R^4 is CH_2Br ; and R^5 is CN; or R^2 is C_2H_5 ; R^3 is C_2H_5 ; R^4 is CH_3 ; and R^5 is C_2H_5 , Br, CH_2F , CHF_2 , CF_3 , CH_2Cl , CH_2Br or CHO; or R^2 is C_2H_5 ; R^3 is C_2H_5 ; R^4 is CH_2OCH_3 or CH_2SCH_3 ; and R^5 is Cl; or wherein (2) R^6 is $\text{CH}_2\text{CH}_2\text{CH}_2\text{Si}(\text{CH}_3)_3$ or $\text{CH}_2\text{CH}_2\text{CH}_2\text{C}(\text{CH}_3)_3$; and R^2 is CH_3 ; R^3 is $\text{CH}_2\text{CH}_2\text{F}$; R^4 is CH_3 ; and R^5 is C_2H_5 , Br, CH_2F , CHF_2 , CF_3 , CH_2Cl , CH_2Br , CHO or CN; or R^2 is CH_3 ; R^3 is $\text{CH}_2\text{CH}_2\text{F}$; R^4 is C_2H_5 or CH_2Br ; and R^5 is Cl or F; or R^2 is CH_3 ; R^3 is $\text{CH}_2\text{CH}_2\text{F}$; R^4 is CH_2SCH_3 or CH_2OCH_3 ; and R^5 is Cl; or R^2 is CH_3 ; R^3 is $\text{CH}_2\text{CH}_2\text{F}$; R^4 is CH_2Br ; and R^5 is CN.

22. (previously presented) A fungicidal composition comprising a fungicidally effective amount of a compound of Claim 11 and at least one additional component selected from the group consisting of surfactants, solid diluents and liquid diluents.


23. (previously presented) A fungicidal composition comprising a mixture of a compound Claim 11 and at least one other fungicide having a different mode of action.

24. (Canceled).

25. (previously presented) A compound of Formula I and or an agriculturally suitable salt thereof,

Application No.: 10/510083
Docket No.: BA9302USPCT

Page 6



wherein:

R¹ is H;

R² and R³ is each independently H or C₁-C₁₀ alkyl; or

R² and R³ are taken together with their interconnecting nitrogen to form a heterocyclic ring containing 3 to 7 atoms, said ring consisting of said interconnecting nitrogen atom, carbon and optionally one or two additional atoms selected from the group consisting of nitrogen, sulfur and oxygen, and said ring being optionally substituted with one or more R⁹;

R⁴ and each R⁵ are each independently halogen, CN, CHO, C₁-C₆ alkyl, C₁-C₄ alkoxy, C₁-C₄ haloalkoxy, C₁-C₄ alkylthio, C₁-C₄ alkylsulfinyl, C₁-C₄ haloalkylthio, C₁-C₄ haloalkylsulfinyl or C₁-C₆ haloalkyl;

One R⁵ is attached to the remainder of Formula I at the 5 position of the benzene ring and an optional second R⁵ is attached at the 6 position of the benzene ring;

R⁶ is C₆-C₁₅ alkyl wherein at least one of the fourth and fifth carbon from A has one or no hydrogen attached or C₅-C₁₅ 2-alkenyl wherein the fourth or fifth carbon from A has one or no hydrogen attached;

A is a direct bond, O or S(O)_n; and


A is attached to the remainder of Formula I at the 4 position of the benzene ring; each R⁹ is independently halogen, CN, NO₂, C₁-C₄ alkoxy, C₁-C₄ alkyl, C₁-C₄ haloalkoxy or C₁-C₄ alkylthio;

n is 0, 1 or 2; and

m is 1 or 2.

26.(currently amended) A compound of ~~any of~~ Claim 25 wherein A is O and wherein R² and R³ are each independently methyl or ethyl.

27.(previously presented) A compound of Claim 25 having the formula




Application No.: 10/510083
Docket No.: BA9302USPCT

Page 7

wherein R^2 is CH_3 ; R^3 is C_2H_5 ; R^4 is CH_3 ; R_5 is CF_3 , Cl or CHF_2 ; and R^6 is $CH_2CH_2CH_2Si(CH_3)_3$.

28.(previously presented) A compound of Formula I and or an agriculturally suitable salt thereof,



wherein:

R^1 is H;

R^2 and R^3 is each independently H or C_1 - C_{10} alkyl; or

R^2 and R^3 are taken together with their interconnecting nitrogen to form a heterocyclic ring containing 3 to 7 atoms, said ring consisting of said interconnecting nitrogen atom, carbon and optionally one or two additional atoms selected from the group consisting of nitrogen, sulfur and oxygen, and said ring being optionally substituted with one or more R^9 ;

R^4 and each R^5 are each independently halogen, CN, CHO, C_1 - C_6 alkyl, C_1 - C_4 alkoxy, C_1 - C_4 haloalkoxy, C_1 - C_4 alkylthio, C_1 - C_4 alkylsulfinyl, C_1 - C_4 haloalkylthio, C_1 - C_4 haloalkylsulfinyl or C_1 - C_6 haloalkyl;

One R^5 is attached to the remainder of Formula I at the 5 position of the benzene ring and an optional second R^5 is attached at the 6 position of the benzene ring;

R^6 is C_1 - C_4 alkyl substituted with one or more substituents selected from the group consisting of C_2 - C_6 alkylthio, C_1 - C_6 alkylsulfinyl, C_2 - C_6 alkoxy, C_2 - C_8 dialkylamino, C_2 - C_6 alkylcarbonyl, C_3 - C_9 alkoxyalkylcarbonyl, C_2 - C_6 alkylaminocarbonyl, C_3 - C_8 dialkylaminocarbonyl, C_3 - C_9 trialkylsilyl, C_3 - C_9 halotrialkylsilyl, C_4 - C_9 alkoxytrialkylsilyl or C_3 - C_9 trialkylsilyloxy;

A is a direct bond, O or $S(O)_n$; and

A is attached to the remainder of Formula I at the 4 position of the benzene ring;

each R^9 is independently halogen, CN, NO_2 , C_1 - C_4 alkoxy, C_1 - C_4 alkyl, C_1 - C_4 haloalkoxy or C_1 - C_4 alkylthio;

n is 0, 1 or 2; and


m is 1 or 2.

29.(currently amended) A compound of any of Claim 28 wherein A is O and wherein R^2 and R^3 are each independently methyl or ethyl.

30.(previously presented) A compound of Claim 28 having the formula

Application No.: 10/510083
 Docket No.: BA9302USPCT


Page 8



wherein R^2 is CH_3 ; R^3 is C_2H_5 ; R^4 is CH_3 ; R_5 is CF_3 , Cl or CHF_2 ; and R^6 is $\text{CH}_2\text{CH}_2\text{CH}_2\text{C}(\text{CH}_3)_3$.

31.(new) A method for controlling plant diseases caused by fungal plant pathogens, comprising:

applying to the plant or portion thereof, or to the plant seed or seedling, a fungicidally effective amount of a compound of Formula I and or an agriculturally suitable salt thereof,



wherein:

R^1 is H, SH, methyl or $\text{C}_2\text{-C}_5$ alkoxy carbonyl;

R^2 is H; $\text{C}_1\text{-C}_{10}$ alkyl, $\text{C}_2\text{-C}_{10}$ alkenyl, $\text{C}_2\text{-C}_{10}$ alkynyl or cyclopropyl;

R^3 is H; $\text{C}_1\text{-C}_{10}$ alkyl, $\text{C}_2\text{-C}_{10}$ alkenyl, $\text{C}_2\text{-C}_{10}$ alkynyl or cyclopropyl; or

R^2 and R^3 are taken together with their interconnecting nitrogen to form a saturated heterocyclic ring containing 3 to 7 atoms, said ring consisting of said interconnecting nitrogen atom and carbon atoms, and said ring being optionally substituted with one or more R^9 ;

R^4 and each R^5 are each independently $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_2\text{-C}_6$ alkenyl, $\text{C}_2\text{-C}_6$ alkynyl, $\text{C}_3\text{-C}_6$ cycloalkyl, $\text{C}_1\text{-C}_6$ haloalkyl, $\text{C}_2\text{-C}_6$ haloalkenyl, $\text{C}_2\text{-C}_6$ haloalkynyl, $\text{C}_3\text{-C}_6$ halocycloalkyl, halogen, CN, CHO, CO_2H , CONH_2 , SF_5 , $\text{C}_1\text{-C}_4$ alkoxy, $\text{C}_1\text{-C}_4$ haloalkoxy, $\text{C}_1\text{-C}_4$ alkylthio, $\text{C}_1\text{-C}_4$ alkylsulfinyl, $\text{C}_1\text{-C}_4$ alkylsulfonyl, $\text{C}_1\text{-C}_4$ haloalkylthio, $\text{C}_1\text{-C}_4$ haloalkylsulfinyl, $\text{C}_1\text{-C}_4$ haloalkylsulfonyl, $\text{C}_1\text{-C}_4$ alkylamino, $\text{C}_2\text{-C}_8$ dialkylamino, $\text{C}_3\text{-C}_6$ cycloalkylamino, $\text{C}_2\text{-C}_6$ alkylcarbonyl, $\text{C}_2\text{-C}_6$ alkoxy carbonyl, $\text{C}_2\text{-C}_6$ alkylaminocarbonyl, $\text{C}_3\text{-C}_8$ dialkylaminocarbonyl or $\text{C}_3\text{-C}_6$ trialkylsilyl;

R^6 is $\text{C}_5\text{-C}_{21}$ alkyl, $\text{C}_5\text{-C}_{21}$ alkenyl, $\text{C}_5\text{-C}_{21}$ alkynyl, $\text{C}_4\text{-C}_9$ alkoxy carbonyl, $\text{C}_4\text{-C}_6$ alkylaminocarbonyl, $\text{C}_3\text{-C}_{10}$ dialkylaminocarbonyl or $\text{C}_3\text{-C}_{12}$ trialkylsilyl, each

Application No.: 10/510083
Docket No.: BA9302USPCT

Page 9

optionally substituted with one or more R^{11} ; or R^6 is C_1 - C_4 alkyl or C_2 - C_9 alkylcarbonyl, each substituted with one or more R^{12} ;

A is a direct bond, O, $S(O)_n$ or NR^{10} ;

each R^9 is independently halogen, CN, NO_2 , C_1 - C_4 alkoxy, C_1 - C_4 alkyl, C_1 - C_4 haloalkoxy or C_1 - C_4 alkylthio;

R^{10} is H, C_1 - C_6 alkyl, C_2 - C_6 alkenyl, C_2 - C_6 alkynyl, C_1 - C_4 alkylsulfonyl, C_1 - C_4 haloalkylsulfonyl, C_2 - C_6 alkylcarbonyl, C_2 - C_6 alkoxycarbonyl, C_2 - C_6 alkylaminocarbonyl, C_3 - C_8 dialkylaminocarbonyl or C_3 - C_6 trialkylsilyl;

each R^{11} is independently halogen, CO_2H , $CONH_2$, NO_2 , hydroxy, C_1 - C_6 alkoxy, C_1 - C_6 haloalkoxy, C_2 - C_6 alkylthio, C_1 - C_6 alkylsulfinyl, C_1 - C_6 alkylsulfonyl, C_1 - C_6 haloalkylthio, C_1 - C_6 haloalkylsulfinyl, C_1 - C_6 haloalkylsulfonyl, C_1 - C_6 alkylamino, C_2 - C_8 dialkylamino, C_2 - C_6 alkylcarbonyl, C_2 - C_6 alkoxycarbonyl, C_3 - C_9 alkoxyalkylcarbonyl, C_2 - C_6 alkylaminocarbonyl, C_4 - C_{10} alkylaminoalkylcarbonyl, C_3 - C_8 dialkylaminocarbonyl, C_4 - C_8 dialkylaminoalkylcarbonyl, C_3 - C_9 alkylthioalkylcarbonyl, C_2 - C_8 dialkylphosphoryl, C_2 - C_8 dialkylphosphinyl, C_3 - C_9 trialkylsilyl or C_3 - C_9 trialkylsilyloxy;

each R^{12} is independently CO_2H , $CONH_2$, NO_2 , C_1 - C_6 haloalkoxy, C_2 - C_6 alkylthio, C_1 - C_6 alkylsulfinyl, C_1 - C_6 alkylsulfonyl, C_1 - C_6 haloalkylthio, C_1 - C_6 haloalkylsulfinyl, C_1 - C_6 haloalkylsulfonyl, C_1 - C_6 alkylamino, C_2 - C_8 dialkylamino, C_2 - C_6 alkylcarbonyl, C_2 - C_6 alkoxycarbonyl, C_3 - C_9 alkoxyalkylcarbonyl, C_2 - C_6 alkylaminocarbonyl, C_3 - C_{10} alkylaminoalkylcarbonyl, C_3 - C_8 dialkylaminocarbonyl, C_4 - C_8 dialkylaminoalkylcarbonyl, C_3 - C_9 alkylthioalkylcarbonyl, C_3 - C_9 halotrialkylsilyl, C_4 - C_9 alkoxytrialkylsilyl, C_3 - C_9 trialkylsilyl or C_3 - C_9 trialkylsilyloxy;

n is 0, 1 or 2; and

m is 0, 1, 2 or 3;

with the proviso that when A denotes NR^{10} , m denotes 0, R^1 denotes H, R^2 and R^3 both denote CH_3 , R^{10} denotes H, R^6 denotes C_3 alkylcarbonyl substituted by R^{12} , then R^{12} does not denote $C1$ alkylsulfonyl; and

with the proviso that when R^4 is iodo, the phenyl ring to which it is attached is not also substituted with iodo substituents at both the 4-position and the 6-position.